



ZEBRA

Zebra Healthcare Product Guide

REDEFINING HEALTHCARE VISIBILITY





Our Product Portfolio

Zebra® Technologies' solutions are all about redefining Healthcare visibility for you: enhancing patient safety, improving operational efficiency and optimising your IT investment.



This guide is designed to help you identify the right products for your needs across multiple applications, including medical administration, specimen collection, patient ID, remote patient monitoring, logistics, laboratory/pharmacy management and more... but if you'd like to talk it through, all you have to do is call!

ADMISSIONS			
PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
HC100™			
	<ul style="list-style-type: none"> • Patient ID – On demand wristband printing 	<ul style="list-style-type: none"> • Most popular, easy to use, on demand wristband printer. Especially designed with nurses needs in mind • Disinfectant ready 	<ul style="list-style-type: none"> • Direct thermal print • 300dpi • Medical grade power supply (IEC 60601-1)
ZD410™ Healthcare			
	<ul style="list-style-type: none"> • Patient ID • Medical record labelling • Patient file label • Drug identification • Specimen and blood tube labelling 	<ul style="list-style-type: none"> • Richer, faster and the smallest 2 inch printer in its class • Link-OS® 	<ul style="list-style-type: none"> • Direct thermal • 203 and 300 dpi • USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN • Medical grade power supply (IEC 60601-1)
GK420 Healthcare			
	<ul style="list-style-type: none"> • Medical records labelling • Pharmacy labelling • Specimen and blood tubes labelling • Asset tracking labelling 	<ul style="list-style-type: none"> • Disinfectant ready label printers designed for clinical environments 	<ul style="list-style-type: none"> • Direct thermal and thermal transfer options • 203dpi • Serial, USB and Parallel, USB and Ethernet • Medical grade power supply (IEC 60601-1)
ZD420-HC			
	<ul style="list-style-type: none"> • Medical records labelling • Patient ID wristbands • Pharmacy labelling • Prescriptions • Specimen and blood tubes labelling • Asset tracking labelling 	<ul style="list-style-type: none"> • Printers with disinfectant-ready and UV-ready housing designed for clinical environments • Thermal transfer model includes either time-saving ribbon cartridge loading or traditional roll-based ribbon loading • Optional locking features on Direct Thermal version • Print DNA Software Solutions • Link-OS® 	<ul style="list-style-type: none"> • Direct Thermal or Thermal Transfer options • 203 and 300 DPI • USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN • Medical grade power supply (IEC 60601-1)
ZD620-HC			
	<ul style="list-style-type: none"> • Medical records labelling • Patient ID wristbands • Pharmacy labelling • Prescriptions • Specimen and blood tubes labelling • Asset tracking labelling 	<ul style="list-style-type: none"> • Printers with disinfectant-ready and UV-ready housing designed for clinical environments • Optional locking features on Direct Thermal with LCD model version • Print DNA Software Solutions • Link-OS® 	<ul style="list-style-type: none"> • Direct Thermal or Thermal Transfer options • 203 and 300 DPI • USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN • Medical grade power supply (IEC 60601-1)

ADMISSIONS

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
Z-Band UltraSoft			
	<ul style="list-style-type: none"> Patient ID 	<ul style="list-style-type: none"> Our most popular cost effective wristband solution 	<ul style="list-style-type: none"> Our most popular cost effective wristband solution
Z-Band UltraSoft			
	<ul style="list-style-type: none"> Patient ID 	<ul style="list-style-type: none"> The ultimate softest wristband on the market 	<ul style="list-style-type: none"> UV varnish resistant to water, hand-sanitiser gels, mild cleaners Antimicrobial coating Tamper evident security slits Latex-free Multiple colour options Roll and cartridge options
Laserband®			
	<ul style="list-style-type: none"> Patient ID 	<ul style="list-style-type: none"> Unique laser printer wristbanding solution covering a large number of patient type: babies, children, adults No need for hardware investment 	<ul style="list-style-type: none"> Self-laminating design protects printed text and barcodes Tamper-evident, adhesive closure Wristband extender Adult, paediatric and baby sizes, and formats specifically designed for maternity and neonates Latex-free
Z-Band Fusion			
	<ul style="list-style-type: none"> Combined Patient ID and case-note labelling 	<ul style="list-style-type: none"> Ideal solution for long term care 	<ul style="list-style-type: none"> Integrated extender bar to fit a wide range of wrist sizes Available in adult, paediatric and baby sizes Printable via Zebra 4" desktop printers Available in white and with a red border
Z-Select™ 2000D			
	<ul style="list-style-type: none"> Sample and case-note labelling 	<ul style="list-style-type: none"> Direct thermal paper label. Can be used in Zebra's mobile printers for bedside labelling 	<ul style="list-style-type: none"> Adhesive performs down to -40°C Paper offers some moisture resistance
Z-Select™ 2000T			
	<ul style="list-style-type: none"> Paper labels for case-note and sample labelling, sterile services labelling 	<ul style="list-style-type: none"> Premium quality paper with excellent print quality and a permanent adhesive 	<ul style="list-style-type: none"> Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications
Z-Ultimate® 3000T White			
	<ul style="list-style-type: none"> Identification of equipment and surgical instruments requiring sterilisation 	<ul style="list-style-type: none"> Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures 	<ul style="list-style-type: none"> Resists autoclave temperatures, adhesive performs between -40° +150°C Offers excellent chemical resistance

ADMISSIONS

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
DS4308-HC			
	<ul style="list-style-type: none"> • Admissions, patient file management 	<ul style="list-style-type: none"> • Best in class 1D and 2D barcode scanner • Disinfectant ready plastics 	<ul style="list-style-type: none"> • 2D Imager • Corded • 6ft/1.8m drop spec • Image capture
DS8100-HC			
	<ul style="list-style-type: none"> • Admissions, patient file management 	<ul style="list-style-type: none"> • Premium Healthcare Scanner • Best in class 1D and 2D barcode scanner • Disinfectant ready plastics 	<ul style="list-style-type: none"> • 2D Imager • Cordless or Corded • 6ft/1.8m drop spec • Image capture

ON THE WARD AND PATIENT BEDSIDE APPLICATIONS


PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
TC51-HC			
	<ul style="list-style-type: none"> • Medication Administration • Specimen tracking and collection • Pharmacy labelling • Mobile Workforce Management • Nurse Call Stations • Remote Patient Monitoring • Asset/Facilities Management 	<ul style="list-style-type: none"> • High performing professional mobile smartphone for accessing patient information and communication • Maximum display size • Disinfectant ready 	<ul style="list-style-type: none"> • IP65 sealing • 5" touch panel • Front and rear facing camera • Android OS with Mobility Extensions • 1D/2D
GK420 Healthcare			
	<ul style="list-style-type: none"> • Medical records labelling • Pharmacy labelling • Specimen and blood tubes labelling • Asset tracking labelling 	<ul style="list-style-type: none"> • Disinfectant ready label printers designed for clinical environments 	<ul style="list-style-type: none"> • Direct thermal and thermal transfer options • 203dpi • Serial, USB and Parallel, USB and Ethernet • Medical grade power supply (IEC 60601-1)
ZD420-HC			
	<ul style="list-style-type: none"> • Medical records labelling • Patient ID wristbands • Pharmacy labelling • Prescriptions • Specimen and blood tubes labelling • Asset tracking labelling 	<ul style="list-style-type: none"> • Printers with disinfectant-ready and UV-ready housing designed for clinical environments • Thermal transfer model includes either time-saving ribbon cartridge loading or traditional roll-based ribbon loading • Optional locking features on Direct Thermal version • Print DNA Software Solutions • Link-OS[®] 	<ul style="list-style-type: none"> • Direct Thermal or Thermal Transfer options • 203 and 300 DPI • USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN • Medical grade power supply (IEC 60601-1)
QLn Healthcare			
	<ul style="list-style-type: none"> • Specimen and blood tube labelling • Drug identification 	<ul style="list-style-type: none"> • Small, robust and easy to use, light-weight mobile printer • Disinfectant ready • Battery lasts a working day 	<ul style="list-style-type: none"> • Direct thermal print • Serial, Bluetooth, WLAN • Lithium ion battery

ON THE WARD AND PATIENT BEDSIDE APPLICATIONS

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
Z-Select™ 2000D			
	<ul style="list-style-type: none"> • Sample and case-note labelling 	<ul style="list-style-type: none"> • Direct thermal paper label • Can be used in Zebra's mobile printers for bedside labelling 	<ul style="list-style-type: none"> • Adhesive performs down to -40°C • Paper offers some moisture resistance
Z-Select™ 2000T			
	<ul style="list-style-type: none"> • Paper labels for case-note and sample labelling, sterile services labelling 	<ul style="list-style-type: none"> • Premium quality paper with excellent print quality and a permanent adhesive 	<ul style="list-style-type: none"> • Thermal transfer paper • Adhesive performs down to -40°C • Can withstand some steam sterilisation applications
DS6878-HC			
	<ul style="list-style-type: none"> • Medication administration • Transfusion administration • Specimen tracking • Medication tracking at the dose level in the hospital pharmacy 	<ul style="list-style-type: none"> • Easy to use cordless 1D and 2D barcode scanner • Disinfectant ready 	<ul style="list-style-type: none"> • 2D Imager • Cordless Bluetooth • IP 43 sealing
DS8100-HC			
	<ul style="list-style-type: none"> • Medication administration • Transfusion administration • Specimen tracking • Medication tracking at the dose level in the hospital pharmacy 	<ul style="list-style-type: none"> • Premium Healthcare Scanner • Best in class 1D and 2D barcode scanner • Disinfectant ready plastics 	<ul style="list-style-type: none"> • 2D Imager • Cordless or Coded • Night Mode • 6ft/1.8m drop spec • IP42 sealing
CS4070-HC			
	<ul style="list-style-type: none"> • Medication administration • Blood product administration • Specimen tracking • Medication tracking at dose level in the hospital pharmacy • Patient identification 	<ul style="list-style-type: none"> • Compact 1d and 2d cordless barcode scanner designed for the Healthcare environment • 12 hours battery life • Disinfectant ready 	<ul style="list-style-type: none"> • 2D Imager • Cordless Bluetooth • 5ft/1.5m drop spec • Apple Certified



MOBILE CLINICIANS AND MOBILE NURSE



PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
TC51-HC			
	<ul style="list-style-type: none"> Medication Administration Specimen tracking and collection Pharmacy labelling Mobile Workforce Management Nurse Call Stations Remote Patient Monitoring Asset/Facilities Management 	<ul style="list-style-type: none"> High performing professional mobile smartphone for accessing patient information and communication Maximum display size Disinfectant ready 	<ul style="list-style-type: none"> IP65 sealing 5" touch panel Front and rear facing camera Android OS with Mobility Extensions 1D/2D
TC55			
	<ul style="list-style-type: none"> Home care Clinical and process workers 	<ul style="list-style-type: none"> Pocket sized professional smart for ultimate clinician mobility. Tested with voice application software 	<ul style="list-style-type: none"> IP67 sealing 4ft/1.2m drop spec Android OS with Mobility Extensions 1D/2D WAN/WLAN GPS Camera NFC Operating temp -10 to 50 degrees C Gorilla Glass 4ft/1.2m drop spec
ET55			
	<ul style="list-style-type: none"> Mobile access to clinical information Mobile nurse, Mobile doctor 	<ul style="list-style-type: none"> A true enterprise-class tablet Removable battery to swap out to keep mobile Secure – data encryption to help comply with industry and government regulations 	<ul style="list-style-type: none"> IP65 sealed 3.2 ft./1 m to concrete drop specification. 6 ft./1.8 m with rugged frame Windows 8.1 Pro Android 5.1 OS with Mobility Extensions 1D/2D Scanning WWAN/WLAN/WPAN/GPS/NFC
QLn Healthcare			
	<ul style="list-style-type: none"> Specimen and blood tube labelling Drug identification 	<ul style="list-style-type: none"> Small, robust and easy to use, light-weight mobile printer Disinfectant ready Battery lasts a working day 	<ul style="list-style-type: none"> Direct thermal print Serial, Bluetooth, WLAN Lithium ion battery







LABORATORY AND BLOOD PROCESSES

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
ZD620-HC			
	<ul style="list-style-type: none"> • Medical records labelling • Patient ID wristbands • Pharmacy labelling • Prescriptions • Specimen and blood tubes labelling • Asset tracking labelling 	<ul style="list-style-type: none"> • Printers with disinfectant-ready and UV-ready housing designed for clinical environments • Optional locking features on Direct Thermal with LCD model version • Print DNA Software Solutions • Link-OS[®] 	<ul style="list-style-type: none"> • Direct Thermal or Thermal Transfer options • 203 and 300 DPI • USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN • Medical grade power supply (IEC 60601-1)
ZT230			
	<ul style="list-style-type: none"> • Laboratory • Blood banks and blood bags labelling 	<ul style="list-style-type: none"> • Intuitive, effortless media loading • High quality printing for crisp, clean text and barcodes – even on narrow media • Reliable and durable – built of light industrial and commercial environments 	<ul style="list-style-type: none"> • Direct thermal and thermal transfer • Up to 4 inch print width • USB, serial and ethernet option
Z-Select™ 2000D			
	<ul style="list-style-type: none"> • Sample and case-note labelling 	<ul style="list-style-type: none"> • Direct thermal paper label • Can be used in Zebra's mobile printers for bedside labelling 	<ul style="list-style-type: none"> • Adhesive performs down to -40°C • Paper offers some moisture resistance
Z-Select™ 2000T			
	<ul style="list-style-type: none"> • Paper labels for case-note and sample labelling, sterile services labelling 	<ul style="list-style-type: none"> • Premium quality paper with excellent print quality and a permanent adhesive 	<ul style="list-style-type: none"> • Thermal transfer paper • Adhesive performs down to -40°C • Can withstand some steam sterilisation applications
Z-Ultimate® 3000T White			
	<ul style="list-style-type: none"> • Identification of equipment and surgical instruments requiring sterilisation 	<ul style="list-style-type: none"> • Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures 	<ul style="list-style-type: none"> • Resists autoclave temperatures, adhesive performs between -40° +150°C • Offers excellent chemical resistance
8000T Cryocool™			
	<ul style="list-style-type: none"> • Ultra-low temperature sample labelling in cryogenic applications 	<ul style="list-style-type: none"> • Gloss white polypropylene with a special low-temperature adhesive 	<ul style="list-style-type: none"> • Thermal transfer polypropylene with an adhesive offering resistance to liquid nitrogen and dry ice • Performance down to -196°C and up to +88°C
8000T Blood Bag			
	<ul style="list-style-type: none"> • Secondary-labelling of blood bags with identification information 	<ul style="list-style-type: none"> • Matte white polypropylene label material with a permanent adhesive 	<ul style="list-style-type: none"> • Adhesive performance between -40°C and 120°C, withstands freeze / thaw cycles and centrifuge





LABORATORY AND BLOOD PROCESSES

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
DS4308-HC			
	<ul style="list-style-type: none"> Blood product administration Specimen tracking 	<ul style="list-style-type: none"> Versatile 1D and 2D barcode scanner specifically designed for Healthcare environments Disinfectant ready plastics 	<ul style="list-style-type: none"> 2D Imager Corded 6ft/1.8m drop spec Image capture
DS8100-HC			
	<ul style="list-style-type: none"> Blood product administration Specimen tracking Chain of custody for controlled substances 	<ul style="list-style-type: none"> Premium Healthcare Scanner Best in class 1D and 2D barcode scanner Disinfectant ready plastics 	<ul style="list-style-type: none"> 2D Imager Cordless or Corded 6ft/1.8m drop spec IP42 sealing



PHARMACY

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
GK420 Healthcare			
	<ul style="list-style-type: none"> Medical records labelling Pharmacy labelling Specimen and blood tubes labelling Asset tracking labelling 	<ul style="list-style-type: none"> Disinfectant ready label printers designed for clinical environments 	<ul style="list-style-type: none"> Direct thermal and thermal transfer options 203dpi Up to 4 inch print width Medical grade power supply (IEC 60601-1)
ZD420-HC			
	<ul style="list-style-type: none"> Medical records labelling Patient ID wristbands Pharmacy labelling Prescriptions Specimen and blood tubes labelling Asset tracking labelling 	<ul style="list-style-type: none"> Printers with disinfectant-ready and UV-ready housing designed for clinical environments Thermal transfer model includes either time-saving ribbon cartridge loading or traditional roll-based ribbon loading Optional locking features on Direct Thermal version Print DNA Software Solutions Link-OS[®] 	<ul style="list-style-type: none"> Direct Thermal or Thermal Transfer options 203 and 300 DPI USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)
ZD620-HC			
	<ul style="list-style-type: none"> Medical records labelling Patient ID wristbands Pharmacy labelling Prescriptions Specimen and blood tubes labelling Asset tracking labelling 	<ul style="list-style-type: none"> Printers with disinfectant-ready and UV-ready housing designed for clinical environments Optional locking features on Direct Thermal with LCD model version Print DNA Software Solutions Link-OS[®] 	<ul style="list-style-type: none"> Direct Thermal or Thermal Transfer options 203 and 300 DPI USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)
Z-Select™ 2000D			
	<ul style="list-style-type: none"> Sample and case-note labelling 	<ul style="list-style-type: none"> Direct thermal paper label Can be used in Zebra's mobile printers for bedside labelling 	<ul style="list-style-type: none"> Adhesive performs down to -40°C Paper offers some moisture resistance

PHARMACY

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
Z-Select™ 2000T			
	<ul style="list-style-type: none"> Paper labels for case-note and sample labelling, sterile services labelling 	<ul style="list-style-type: none"> Premium quality paper with excellent print quality and a permanent adhesive 	<ul style="list-style-type: none"> Thermal transfer paper Adhesive performs down to -40°C Can withstand some steam sterilisation applications
Z-Ultimate® 3000T White			
	<ul style="list-style-type: none"> Identification of equipment and surgical instruments requiring sterilisation 	<ul style="list-style-type: none"> Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures 	<ul style="list-style-type: none"> Resists autoclave temperatures, adhesive performs between -40° +150°C Offers excellent chemical resistance
DS4308-HC			
	<ul style="list-style-type: none"> Blood product administration Specimen tracking 	<ul style="list-style-type: none"> Versatile 1D and 2D barcode scanner specifically designed for Healthcare environments Disinfectant ready plastics 	<ul style="list-style-type: none"> 2D Imager Corded 6ft/1.8m drop spec Image capture
DS8100-HC			
	<ul style="list-style-type: none"> Blood product administration Specimen tracking Chain of custody for controlled substances 	<ul style="list-style-type: none"> Premium Healthcare Scanner Best in class 1D and 2D barcode scanner Disinfectant ready plastics 	<ul style="list-style-type: none"> 2D Imager Cordless or Corded 6ft/1.8m drop spec IP42 sealing

NON CLINICAL SERVICES: PORTER, CLEANING, MAINTENANCE AND ASSET MANAGEMENT

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
ZD500R			
	<ul style="list-style-type: none"> Medical records labelling Specimen labelling Asset tracking 	<ul style="list-style-type: none"> Utilising UHF RFID printing and encoding to provide additional visibility and tracking improvements to more traditional labelling applications in Healthcare 	<ul style="list-style-type: none"> Direct thermal and thermal transfer options (TT form factor only) 203 or 300dpi Up to 104mm print width UHF RFID encoder
ZD420-HC			
	<ul style="list-style-type: none"> Medical records labelling Patient ID wristbands Pharmacy labelling Prescriptions Specimen and blood tubes labelling Asset tracking labelling 	<ul style="list-style-type: none"> Printers with disinfectant-ready and UV-ready housing designed for clinical environments Thermal transfer model includes either time-saving ribbon cartridge loading or traditional roll-based ribbon loading Optional locking features on Direct Thermal version Print DNA Software Solutions Link-OS® 	<ul style="list-style-type: none"> Direct Thermal or Thermal Transfer options 203 and 300 DPI USB, USB Host, Bluetooth Low Energy, Ethernet, dual wireless option; Mfi certified Bluetooth 4.1 and WiFi certified 802.11ac WLAN Medical grade power supply (IEC 60601-1)

NON CLINICAL SERVICES: PORTER, CLEANING, MAINTENANCE AND ASSET MANAGEMENT

PRODUCT	APPLICATION	DESCRIPTION	KEY TECHNICAL FEATURES
Z-Ultimate® 3000T White			
	<ul style="list-style-type: none"> • Identification of equipment and surgical instruments requiring sterilisation 	<ul style="list-style-type: none"> • Gloss white polyester with a permanent adhesive which withstands chemicals and high temperatures 	<ul style="list-style-type: none"> • Resists autoclave temperatures, adhesive performs between -40° +150°C • Offers excellent chemical resistance
Z-Select™ 2000T			
	<ul style="list-style-type: none"> • Paper labels for case-note and sample labelling, sterile services labelling 	<ul style="list-style-type: none"> • Premium quality paper with excellent print quality and a permanent adhesive 	<ul style="list-style-type: none"> • Thermal transfer paper • Adhesive performs down to -40°C • Can withstand some steam sterilisation applications
MC32			
	<ul style="list-style-type: none"> • Inventory Management • Asset Tracking 	<ul style="list-style-type: none"> • Choice of operating system – Android Jelly Bean or Microsoft Embedded Compact 7 • Choice of our most advanced 1-D laser or 1-D/2-D imager scan engine allows your workers to easily capture barcodes in any condition • Three lightweight models – brick, gun and turret 	<ul style="list-style-type: none"> • IP54 Sealing • Microsoft Embedded CE or Android OS • 1D/2D • WLAN/WPAN • Push to Talk
RFD5500			
	<ul style="list-style-type: none"> • Asset Management 	<ul style="list-style-type: none"> • RFD5500 UHF RFID Sled transforms your MC55, MC65 or MC67 mobile computer into a state-of-the-art RFID handheld reader • Lightweight, rugged design and well-balanced, gun-style grip, the RFD5500 is easy to use • A unique combination of audible and visual cues intuitively guides the user to its precise location 	<ul style="list-style-type: none"> • Supports MC55 Series (MC55N0-xxx and MC55A0-xxx) and the MC6X Series (MC65 and MC67 [excluding Android configurations])
DS4308			
	<ul style="list-style-type: none"> • Logistics • Supply chain 	<ul style="list-style-type: none"> • 1D/2D, electronic or printed on paper, tiny dense codes, or codes printed on reflective surfaces or under shrink wrap • Unsurpassed aiming technology • Easy on the eyes – light emitted is soft and unobtrusive, preventing eye fatigue and improving the environment for workers • Largest “sweet spot” for can’t-miss point-and-shoot scanning simplicity 	<ul style="list-style-type: none"> • 2D Imager • Corded • 6ft/1.8m drop spec • Image capture
SB1-HC			
	<ul style="list-style-type: none"> • Asset management • Personnel ID and Access Control 	<ul style="list-style-type: none"> • Smallest form factor for a mobile device • Disinfectant ready plastics • With a task management application, you can distribute personal dynamic task lists that keep staff focused on the right assignments • Includes barcode scanning and push-to-talk 	<ul style="list-style-type: none"> • IP54 Sealing • Windows OS • 1D/2D • WLAN • Push to Talk • Supports thin client applications

ZEBRA ONECARE

Zebra OneCare provides unmatched support, right from the manufacturer, across the full product range. With three service levels to choose from – Essential, Select and Premier – you'll find a Zebra OneCare offering that will meet your service requirements and your budget. For more information, visit www.zebra.com/services



**FOR MORE INFORMATION ABOUT HOW YOU CAN ENHANCE PATIENT CARE,
INCREASE OPERATIONAL EFFICIENCY AND OPTIMIZE IT OPERATIONS USING
ZEBRA'S SOLUTIONS, VISIT WWW.ZEBRA.COM/HEALTHCARE**



EMEA Headquarters | zebra.com/locations | contact.emea@zebra.com

©2018 ZIH Corp and/or its affiliates. All rights reserved. ZEBRA and the stylized Zebra head are trademarks of ZIH Corp, registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners.